

SAFETY DATA SHEET

Multisciences Human TNF- α ELISA Kit

Section 1. Identification

GHS product identifier Code: Multisciences Human TNF-α ELISA Kit, EK182 Other means of identification: Not available

Trade name: Human TNF- α ELISA Kit

Supplier/Manufacturer 108 Xiang Yuan Road, Gongshu Intellect Information Industry Park, Hangzhou In case of emergency: Multisciences: 400-6721-600

Section 2. Hazards identification

| Section 2. Hazarus lucitin | | |
|---|---|---|
| OSHA/HCS status: | Multisciences anti-Human TNF-α detect antibody(100X) | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. |
| | Multisciences Human TNF- α Standard (lyophilized) | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. |
| | Multisciences Stop Solution | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. |
| Classification of the substance or mixture: | Multisciences anti-Human TNF-α detect antibody(100X) | Not classified. |
| | Multisciences Human TNF-α Standard (lyophilized) | Not classified. |
| | Multisciences PBS Buffer with Tween 20 (Assay, | Not classified. |
| | Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not classified. |
| | Multisciences Stop Solution | Not classified. |
| GHS label elements | | |
| Signal word | Multisciences anti-Human TNF-α detect antibody(100X) Multisciences Human TNF-α Standard (lyophilized) | No signal word. No signal word. |
| | Multisciences PBS Buffer with Tween 20 (Assay, | No signal word. |
| | Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and Substrate Reagent | No signal word. |
| | Multisciences Stop Solution | No signal word. |
| Hazard statements | Multisciences anti-Human TNF-α detect antibody(100X) | No known significant effects or critical hazards. |
| | Multisciences Human TNF- α Standard (lyophilized) | No known significant effects or critical hazards. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No known significant effects or critical hazards. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | No known significant effects or critical hazards. |
| | Multisciences Stop Solution | No known significant effects or critical hazards. |
| Precautionary statements General | Multisciences anti-Human TNF-α detect antibody(100X) | Not applicable. |
| Concrui | Multisciences Human TNF-α Standard (lyophilized) | Not applicable. |
| | Multisciences PBS Buffer with Tween 20 (Assay, | Not applicable. |
| | Diluent or Washing buffer) | |



| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not applicable. |
|----------------------------------|--|-----------------|
| | Multisciences Stop Solution | Not applicable. |
| Prevention | Multisciences anti-Human TNF-α detect antibody(100X) | Not applicable. |
| | Multisciences Human TNF- α Standard (lyophilized) | Not applicable. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not applicable. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not applicable. |
| | Multisciences Stop Solution | Not applicable. |
| Response | Multisciences anti-Human TNF-α detect antibody(100X) | Not applicable. |
| | Multisciences Human TNF-α Standard (lyophilized) | Not applicable. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not applicable. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not applicable. |
| | Multisciences Stop Solution | Not applicable. |
| Storage | Multisciences anti-Human TNF-α detect antibody(100X) | Not applicable. |
| | Multisciences Human TNF- α Standard (lyophilized) | Not applicable. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not applicable. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not applicable. |
| | Multisciences Stop Solution | Not applicable. |
| Disposal | Multisciences anti-Human TNF- α detect antibody(100X) | Not applicable. |
| | Multisciences Human TNF- α Standard (lyophilized) | Not applicable. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not applicable. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not applicable. |
| | Multisciences Stop Solution | Not applicable. |
| Supplemental label elements | Multisciences anti-Human TNF- α detect antibody(100X) | None known. |
| | Multisciences Human TNF-α Standard (lyophilized) | None known. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | None known. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | None known. |
| | Multisciences Stop Solution | None known. |
| Hazards not otherwise classified | Multisciences anti-Human TNF- α detect antibody(100X) | None known. |
| | Multisciences Human TNF- α Standard (lyophilized) | None known. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | None known. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | None known. |
| | Multisciences Stop Solution | None known. |

Section 3. Composition/information on ingredients

| Substance/mixture: Mixture | | |
|------------------------------------|----------|------------|
| Ingredient name | % | CAS number |
| Multisciences Human TNF-α Standard | 99.9-100 | - |

Any concentration shown as a range is to protect confidentiality or is due to batch variation. There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures



| | | 联科 生物 |
|---|---|--|
| Eye contact | Multisciences anti-Human TNF- α detect antibody(100X) | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. |
| | Multisciences Human TNF- α Standard (lyophilized) | Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | Multisciences Stop Solution | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| Inhalation | Multisciences anti-Human TNF-α detect antibody(100X) Multisciences Human TNF-α Standard (lyophilized) | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | for breathing. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent Multisciences Stop Solution | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| Skin contact | Multisciences anti-Human TNF- α detect antibody(100X) | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | Multisciences Human TNF- α Standard (lyophilized) | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | Multisciences Stop Solution | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| Ingestion | Multisciences anti-Human TNF- α detect antibody(100X) | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| | Multisciences Human TNF-α Standard (lyophilized) | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by |
| | Multisciences Stop Solution | medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| Most important symptoms/effects, Eye contact | acute and delayed Potential acute hea Multisciences anti-Human TNF-α detect | Ith effects No known significant effects or critical hazards. |
| | antibody(100X) Multisciences Human TNF-α Standard (lyophilized) | No known significant effects or critical hazards. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No known significant effects or critical hazards. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | No known significant effects or critical hazards. |
| | Multisciences Stop Solution | No known significant effects or critical hazards. |
| Inhalation | Multisciences anti-Human TNF- α detect antibody(100X) | No known significant effects or critical hazards. |
| | Multisciences Human TNF- α Standard (lyophilized) | No known significant effects or critical hazards. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No known significant effects or critical hazards. |



| | Multisciences Streptavidin-HRP (100x) and | No known significant effects or critical hazards. |
|---|---|--|
| | Substrate Reagent Multisciences Stop Solution | No known significant effects or critical hazards. |
| Skin contact | Multisciences anti-Human TNF- α detect antibody(100X) | No known significant effects or critical hazards. |
| | Multisciences Human TNF- α Standard (lyophilized) | No known significant effects or critical hazards. |
| | Multisciences PBS Buffer with Tween 20 (Assay, | No known significant effects or critical hazards. |
| | Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and Substrate Reagent | No known significant effects or critical hazards. |
| | Multisciences Stop Solution | No known significant effects or critical hazards. |
| Ingestion | Multisciences anti-Human TNF-α detect antibody(100X) | No known significant effects or critical hazards. |
| | Multisciences Human TNF- α Standard (lyophilized) | No known significant effects or critical hazards. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and | No known significant effects or critical hazards. No known significant effects or critical hazards. |
| | Substrate Reagent | - |
| | Multisciences Stop Solution | No known significant effects or critical hazards. |
| Over-exposure signs/symptoms Eye contact | Multisciences anti-Human TNF-α detect antibody(100X) | No specific data. |
| | Multisciences Human TNF-α Standard (lyophilized) | No specific data. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No specific data. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | No specific data. |
| | Multisciences Stop Solution | No specific data. |
| Inhalation | Multisciences anti-Human TNF- α detect antibody(100X) | No specific data. |
| | Multisciences Human TNF- α Standard (lyophilized) | No specific data. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and | No specific data. No specific data. |
| | Substrate Reagent Multisciences Stop Solution | No specific data. |
| | Multisciences stop solution | No specific data. |
| Skin contact | Multisciences anti-Human TNF- α detect antibody(100X) | No specific data. |
| | Multisciences Human TNF- α Standard (lyophilized) | No specific data. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and | No specific data. No specific data. |
| | Substrate Reagent | |
| | Multisciences Stop Solution | No specific data. |
| Ingestion | Multisciences anti-Human TNF- α detect antibody(100X) | No specific data. |
| | Multisciences Human TNF-a Standard (lyophilized) | No specific data. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No specific data. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | No specific data. |
| | Multisciences Stop Solution | No specific data. |

Indication of immediate medical attention and special treatment needed, if necessary, see toxicological information (Section 11)

| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
|----------------------------|---|
| Specific treatments | No specific treatment |
| Protection of first-aiders | No action shall be taken involving any personal risk or without suitable training. |

Section 5. Fire-fighting measures

| Extinguishing media | | |
|------------------------------|--|---|
| Suitable extinguishing media | Multisciences anti-Human TNF-α detect antibody(100X) | Use an extinguishing agent suitable for the surrounding fire. |
| | Multisciences Human TNF-α Standard (lyophilized) | Use an extinguishing agent suitable for the surrounding fire. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Use an extinguishing agent suitable for the surrounding fire. |



| | | 以 川 |
|---|--|--|
| | Multisciences Streptavidin-HRP (100x) and | Use an extinguishing agent suitable for the surrounding fire. |
| | Substrate Reagent Multisciences Stop Solution | Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | Multisciences anti-Human TNF- α detect antibody(100X) | None known. |
| | Multisciences Human TNF- α Standard (lyophilized) | None known. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | None known. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | None known. |
| | Multisciences Stop Solution | None known. |
| Specific hazards arising from the chemical | Multisciences anti-Human TNF-α detect antibody(100X) | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | Multisciences Human TNF- α Standard (lyophilized) | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | Multisciences Stop Solution | In a fire or if heated, a pressure increase will occur and the container may burst. |
| Hazardous thermal decomposition products | Multisciences anti-Human TNF- α detect antibody(100X) | No specific data. |
| | Multisciences Human TNF-α Standard (Ivophilized) | No specific data. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No specific data. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | No specific data. |
| | Multisciences Stop Solution | No specific data. |
| Special protective actions for fire-fighters | Multisciences anti-Human TNF- α detect antibody(100X) | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| | Multisciences Human TNF-α Standard (lyophilized) | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving |
| | Multisciences Stop Solution | any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | Multisciences anti-Human TNF- α detect antibody(100X) | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | Multisciences Human TNF-α Standard (lyophilized) | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | operated in positive pressure mode. Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | Multisciences Stop Solution | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | | |

Section 6. Accidental release measures

 Personal precautions, protective equipment and emergency procedures

 For non-emergency personnel
 No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

 For emergency responders
 If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable materials. See also the information in "For non- emergency personnel".



| Environmental precautions | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
|---|--|
| Methods and materials for containment a | nd cleaning up |
| Small spill | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

Section 7. Handling and storage

| Precautions for safe handling | | |
|---|--|---|
| Protective measures | Multisciences anti-Human TNF- α detect antibody(100X) | Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). |
| | Multisciences Human TNF-α Standard (lyophilized) Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and Substrate Reagent Multisciences Stop Solution | Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section |
| Advice on general occupational hygiene | Multisciences anti-Human TNF- α detect antibody(100X) | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| | Multisciences Human TNF-α Standard (lyophilized) | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| | Multisciences Stop Solution | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage including any incompatibilities | Multisciences anti-Human TNF-α detect antibody(100X) | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in |
| | Multisciences Human TNF-α Standard (lyophilized) | original container protected from direct sunlight in a dry, Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | original container protected from direct sunlight in a dry, Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. |



Containers that have been opened must be carefully resealed and

| | kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, |
|---|--|
| Multisciences Streptavidin-HRP (100x) and | Store in accordance with local regulations. Store in original container |
| Substrate Reagent | protected from direct sunlight in a dry, cool and well-ventilated area, |
| | away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. |
| | Containers that have been opened must be carefully resealed and |
| | kept upright to prevent leakage. Do not store in unlabeled |
| | containers. Use appropriate containment to avoid environmental |
| | contamination. Store in accordance with local regulations. Store in |
| | original container protected from direct sunlight in a dry, |
| Multisciences Stop Solution | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and |
| | drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and |
| | kept upright to prevent leakage. Do not store in unlabeled |
| | containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, |
| | |

Section 8. Exposure controls/personal protection

Control parameters Occupational exposure limits None

| Appropriate engineering controls Environmental exposure controls | Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
|---|--|
| Individual protection measures | |
| Hygiene measures | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side- shields. |
| Skin protection | |
| Hand protection | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. |
| Body protection | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. |

Section 9. Physical and chemical properties

| Physical state | Multisciences anti-Human TNF-a detect Liquid. antibody(100X) | | | |
|----------------|--|----------------|--|--|
| | Multisciences Human TNF-α Standard (lyophilized) | Solid | | |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Liquid. | | |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Liquid. | | |
| | Multisciences Stop Solution | Liquid. | | |
| Color | Multisciences anti-Human TNF-α detect antibody(100X) | Not available. | | |



| | Multisciences Human TNF-α Standard | Not available. |
|---------------------------|--|----------------|
| | (lyophilized) Multisciences PBS Buffer with Tween 20 | Not available. |
| | (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and | Not available. |
| | Substrate Reagent Multisciences Stop Solution | Not available. |
| Odor | Multisciences anti-Human TNF- α detect antibody(100X) | Not available. |
| | Multisciences Human TNF-α Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 | Not available. |
| | (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and | Not available. |
| | Substrate Reagent Multisciences Stop Solution | Not available. |
| Flash point | Multisciences anti-Human TNF- α detect antibody(100X) | Not available. |
| | Multisciences Human TNF-α Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and | Not available. |
| | Substrate Reagent Multisciences Stop Solution | Not available. |
| Auto-ignition temperature | Multisciences anti-Human TNF-α detect antibody(100X) | Not available. |
| | Multisciences Human TNF-α Standard (lyophilized) | Not available. |
| | (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and | Not available. |
| | Substrate Reagent Multisciences Stop Solution | Not available. |
| Flammable limits | Multisciences anti-Human TNF- α detect antibody(100X) | Not available. |
| | Multisciences Human TNF-α Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 | Not available. |
| | (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and | Not available. |
| | Substrate Reagent Multisciences Stop Solution | Not available. |
| Molecular weight | Multisciences anti-Human TNF- α detect antibody(100X) | Not available. |
| | Multisciences Human TNF-α Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 | Not available. |
| | (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and | Not available. |
| | Substrate Reagent Multisciences Stop Solution | Not available. |
| Molecular formula | Multisciences anti-Human TNF-α detect antibody(100X) | Not available. |
| | Multisciences Human TNF-a Standard | Not available. |
| | (lyophilized) Multisciences PBS Buffer with Tween 20 (Asses Dilated as Marking haffer) | Not available. |
| | (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and | Not available. |
| | Substrate Reagent Multisciences Stop Solution | Not available. |
| рН | Multisciences anti-Human TNF-α detect antibody(100X) | 7.0-7.2 |
| | Multisciences Human TNF-α Standard (lyophilized) | Not available |
| | Multisciences PBS Buffer with Tween 20 | 7.0-7.2 |
| | (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and | 7.0-7.2 |
| | Substrate Reagent Multisciences Stop Solution | 1.1-1.3 |
| | | |



| Boiling/condensation point | Multisciences anti-Human TNF- α detect | Not available. |
|----------------------------|--|----------------|
| | antibody(100X) Multisciences Human TNF-α Standard (Iγophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and | Not available. |
| | Substrate Reagent Multisciences Stop Solution | Not available. |
| Melting/freezing point | Multisciences anti-Human TNF-α detect | Not available. |
| | antibody(100X) Multisciences Human TNF-α Standard | Not available. |
| | (lyophilized) Multisciences PBS Buffer with Tween 20 (Assess Dilaset as Marking h. (fac) | Not available. |
| | (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and | Not available. |
| | Substrate Reagent Multisciences Stop Solution | Not available. |
| Relative density | Multisciences anti-Human TNF-α detect | Not available. |
| | antibody(100X) Multisciences Human TNF-α Standard (Iγophilized) | Not available. |
| | (Nophilized) Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Vapor pressure | Multisciences anti-Human TNF- α detect antibody(100X) | Not available. |
| | Multisciences Human TNF-α Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Vapor density | Multisciences anti-Human TNF-α detect antibody(100X) | Not available. |
| | Multisciences Human TNF-α Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Volatility | Multisciences anti-Human TNF- α detect antibody(100X) | Not available. |
| | Multisciences Human TNF-α Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Evaporation rate | Multisciences anti-Human TNF- α detect antibody(100X) | Not available. |
| | Multisciences Human TNF-α Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Viscosity | Multisciences anti-Human TNF- α detect antibody(100X) | Not available. |
| | Multisciences Human TNF-α Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | | |



| | Multisciences Stop Solution | Not available. |
|---------------------------------------|--|--|
| Solubility | Multisciences anti-Human TNF-α detect antibody(100X) | Not available. |
| | Multisciences Human TNF-α Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Physical/chemical properties comments | Multisciences anti-Human TNF-α detect antibody(100X) | Not available. |
| | Multisciences Human TNF-α Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Section 10. Stability and r | eactivity | |
| Reactivity | Multisciences anti-Human TNF-α detect antibody(100X) | No specific test data related to reactivity available for this product or its ingredients. |
| | Multisciences Human TNF-α Standard (lyophilized) | No specific test data related to reactivity available for this product or its ingredients. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No specific test data related to reactivity available for this product or its ingredients. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | No specific test data related to reactivity available for this product or its ingredients. |
| | | |

Multisciences Stop Solution

its ingredients. No specific test data related to reactivity available for this product or its ingredients.

| | | its ingroutents. |
|------------------------------------|--|--|
| Chemical stability | Multisciences anti-Human TNF- α detect antibody(100X) | The product is stable. |
| | Multisciences Human TNF-α Standard (lyophilized) | The product is stable. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | The product is stable. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | The product is stable. |
| | Multisciences Stop Solution | The product is stable. |
| Possibility of hazardous reactions | Multisciences anti-Human TNF- α detect | Under normal conditions of storage and use, hazardous reactions will |
| | antibody(100X) | not occur. Under normal conditions of storage and use, hazardous reactions will not occur. |
| | Multisciences Human TNF-α Standard (lyophilized) | Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous |
| | | reactions will not occur. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous |
| | (Assay, Dirucht of Washing Durier) | reactions will not occur. |
| | Multisciences Streptavidin-HRP (100x) and | Under normal conditions of storage and use, hazardous reactions will |
| | Substrate Reagent | not occur. Under normal conditions of storage and use, hazardous reactions will not occur. |
| | Multisciences Stop Solution | Under normal conditions of storage and use, hazardous reactions will |
| | | not occur. Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | Multisciences anti-Human TNF-α detect antibody(100X) | No specific data. |
| | Multisciences Human TNF-α Standard (lyophilized) | No specific data. |
| | | |

Incompatible materials

Multisciences anti-Human TNF- α detect antibody(100X)

Substrate Reagent

Multisciences PBS Buffer with Tween 20

(Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and

Multisciences Stop Solution

No specific data.

No specific data.

No specific data.

No specific data.



should not be produced.

| | Multisciences Human TNF-α Standard (lyophilized) | No specific data. | | |
|-------------------------------------|--|--|--|--|
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No specific data. | | |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | No specific data. | | |
| | Multisciences Stop Solution | No specific data. | | |
| | | | | |
| Hazardous decomposition products | Multisciences anti-Human TNF-α detect antibody(100X) | Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. | | |
| | Multisciences Human TNF-α Standard (lyophilized) | Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. | | |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. | | |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. | | |
| | Multisciences Stop Solution | Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. | | |

Section 11. Toxicological information

Information on toxicological effects Acute toxicity: Not available. Irritation/Corrosion: Not available. Sensitization: Not available. Mutagenicity: Not available. Carcinogenicity: Not available. Carcinogenicity: Not available. Reproductive toxicity: Not available. Teratogenicity: Not available. Specific target organ toxicity (single exposure): Not available. Specific target organ toxicity (repeated exposure): Not available. Aspiration hazard: Not available. Information on the likely routes of exposure: Not available.

Potential acute health effects Eye contact: Not available. Inhalation: Not available.

Skin contact: Not available. Ingestion: Not available.

Symptoms related to the physical, chemical and toxicological characteristics Eye contact: Not available. Inhalation: Not available. Skin contact: Not available. Ingestion: Not available.

Delayed and immediate effects and also chronic effects from short and long term exposure Short term exposure: Not available. Potential immediate effects: Not available. Potential delayed effects: Not available. Potential immediate effects: Not available. Potential delayed effects: Not available. Potential delayed effects: Not available. Potential chronic health effects: General: Not available. Carcinogenicity: Not available. Mutagenicity: Not available.



Teratogenicity: Not available. Developmental effects: Not available. Fertility effects: Not available. Numerical measures of toxicity Acute toxicity estimates: Not available. Interactive effects: Not available. Other information: Not available. Section 12. Ecological information Toxicity: Not available. Persistence and degradability: Not available. Bioaccumulative potential: Not available. Mobility in soil Multisciences anti-Human TNF- α detect Not available Soil/water partition: coefficient (Koc) antibody(100X) Not available. Multisciences Human TNF-a Standard (lyophilized) Multisciences PBS Buffer with Tween 20 (Assay, Diluent Not available. or Washing buffer) Multisciences Streptavidin-HRP (100x) and Substrate Not available. Reagent Multisciences Stop Solution Not available.

Mobility: Not available.

Other adverse effects: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

| | DOT Classification | TDG Classification | Mexico Classification | ADR/RID | IMDG | ΙΑΤΑ |
|--------------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| UN number UN proper shipping name | Not available. Not available. |
| Packing group | - | - | - | - | - | - |
| Environmental hazards | No. | No. | No. | No. | No. | No. |
| Additional information | - | - | - | - | - | - |

Special precautions for user: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not available.

Section 15. Regulatory information

U.S. Federal regulations: TSCA 8(a) CDR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): Not determined. Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs): Not listed Clean Air Act Section 602 Class I Substances: Not listed Clean Air Act Section 602 Class II Substances: Not listed DEA List I Chemicals (Precursor Chemicals): Not listed DEA List II Chemicals (Essential Chemicals): Not listed SARA 302/304 Composition/information on ingredients

| Name | % | EHS | SARA 302 TPQ (lbs) | (gallons) | SARA 304 R (Ibs) | Q (gallons) |
|--|-----|------|-----------------------|-----------|---------------------|----------------|
| Multisciences Substrate Reagent with hydrogen peroxide | 0-1 | Yes. | 1000 | 106.1 | 1000 | 106.1 |

SARA 304 RQ: 68292000 lbs / 31004568 kg

SARA 311/312 Classification: Not applicable.

Composition/information on ingredients: No products were found.



State regulations

Massachusetts: None of the components are listed. New York: None of the components are listed. New Jersey: None of the components are listed. Pennsylvania: None of the components are listed.

Section 15. Regulatory information International regulations Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed. Montreal Protocol (Annexes A, B, C, E) Not listed. Stockholm Convention on Persistent Organic Pollutants Not listed. Rotterdam Convention on Prior Inform Consent (PIC) Not listed. **UNECE Aarhus Protocol on POPs and Heavy Metals** Not listed. Canada Not controlled under WHMIS (Canada). Multisciences anti-Human TNF-α detect WHMIS (Canada) antibodv(100X) Not controlled under WHMIS (Canada). Multisciences Human TNF-α Standard (lyophilized) Multisciences PBS Buffer with Tween 20 Not controlled under WHMIS (Canada). (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and Not controlled under WHMIS (Canada). Substrate Reagent Not controlled under WHMIS (Canada). Multisciences Stop Solution

Canadian lists Canadian NPRI: None of the components are listed. CEPA Toxic substances: None of the components are listed Canada inventory: Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



The customer is responsible for determining the PPE code for this material. National Fire Protection Association (U.S.A.)



History Date of issue/Date of revision: 9/11/2016 Date of previous issue: No previous validation. Version: 1 Section 16. Other information Key to abbreviations: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods



LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.