

SAFETY DATA SHEET

Multisciences Mouse IL-33 High Sensitivity ELISA Kit

Section 1. Identification

GHS product identifier Code: Multisciences Mouse IL-33 High Sensitivity ELISA Kit, EK233HS Other means of identification: Not available Trade name: Mouse IL-33 High Sensitivity ELISA Kit Supplier/Manufacturer 108 Xiang Yuan Road, Gongshu Intellect Information Industry Park, Hangzhou In case of emergency: Multisciences: 400-6721-600

Section 2. Hazards identification

| Section 2. Hazards ident | ification | |
|---|---|---|
| OSHA/HCS status: | Multisciences anti-Mouse IL-33 detect antibody(100X) Multisciences Mouse IL-33 Standard (lyophilized) | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of |
| | | the product. This MSDS should be retained and available for |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | employees and other users of this product. While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. |
| | Multisciences Stop Solution | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. |
| Classification of the substance or mixture: | Multisciences anti-Mouse IL-33 detect antibody(100X) | Not classified. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Not classified. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not classified. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent Multisciences Stop Solution | Not classified. |
| | Multisciences stop solution | Not classified. |
| GHS label elements Signal word | Multisciences anti-Mouse IL-33 detect antibody(100X) | No signal word. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | No signal word. |
| | Multisciences PBS Buffer with Tween 20 (Assay, | No signal word. |
| | Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and Substrate Reagent | No signal word. |
| | Multisciences Stop Solution | No signal word. |
| Hazard statements | Multisciences anti-Mouse IL-33 detect antibody(100X) | No known significant effects or critical hazards. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | No known significant effects or critical hazards. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No known significant effects or critical hazards. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | No known significant effects or critical hazards. |
| | Multisciences Stop Solution | No known significant effects or critical hazards. |
| Precautionary statements General | Multisciences anti-Mouse IL-33 detect antibody(100X) | Not applicable. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Not applicable. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not applicable. |
| | Multisciences Streptavidin-HRP (100x) and | Not applicable. |



| | Substrate Reagent Multisciences Stop Solution | Not applicable. |
|-------------------------------------|---|------------------------------------|
| Prevention | Multisciences anti-Mouse IL-33 detect antibody(100X) | Not applicable. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Not applicable. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and | Not applicable. Not applicable. |
| | Substrate Reagent Multisciences Stop Solution | Not applicable. |
| | | |
| Response | Multisciences anti-Mouse IL-33 detect antibody(100X) | Not applicable. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Not applicable. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not applicable. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not applicable. |
| | Multisciences Stop Solution | Not applicable. |
| Storage | Multisciences anti-Mouse IL-33 detect antibody(100X) | Not applicable. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Not applicable. |
| | Multisciences PBS Buffer with Tween 20 (Assay, | Not applicable. |
| | Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not applicable. |
| | Multisciences Stop Solution | Not applicable. |
| Disposal | Multisciences anti-Mouse IL-33 detect antibody(100X) | Not applicable. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Not applicable. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not applicable. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not applicable. |
| | Multisciences Stop Solution | Not applicable. |
| Supplemental label elements | Multisciences anti-Mouse IL-33 detect antibody(100X) | None known. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | None known. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | None known. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | None known. |
| | Multisciences Stop Solution | None known. |
| Hazards not otherwise classified | Multisciences anti-Mouse IL-33 detect antibody(100X) | None known. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | None known. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | None known. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | None known. |
| | Multisciences Stop Solution | None known. |

Section 3. Composition/information on ingredients

| Substance/mixture: Mixture | - | |
|------------------------------------|----------|------------|
| Ingredient name | % | CAS number |
| Multisciences Mouse IL-33 Standard | 99.9-100 | - |

Any concentration shown as a range is to protect confidentiality or is due to batch variation. There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures



| | | 联 附于初 |
|-------------------------------|---|--|
| Eye contact | Multisciences anti-Mouse IL-33 detect antibody(100X) | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | Multisciences Stop Solution | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| Inhalation | Multisciences anti-Mouse IL-33 detect antibody(100X) Multisciences Mouse IL-33 Standard (Iyophilized) | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and | for breathing. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable |
| | Substrate Reagent Multisciences Stop Solution | for breathing. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| Skin contact | Multisciences anti-Mouse IL-33 detect | Flush contaminated skin with plenty of water. Remove contaminated |
| | antibody(100X) Multisciences Mouse IL-33 Standard (lyophilized) | clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | Multisciences Streptavidin-HRP (100x) and | Flush contaminated skin with plenty of water. Remove contaminated |
| | Substrate Reagent Multisciences Stop Solution | clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| Ingestion | Multisciences anti-Mouse IL-33 detect antibody(100X) | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by |
| | Multisciences Stop Solution | medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| Most important symptoms/effec | ts, acute and delayed Potential acute he | |
| Eye contact | Multisciences anti-Mouse IL-33 detect antibody(100X) Multisciences Mouse IL-23 Standard (Juanhiliand) | No known significant effects or critical hazards. |
| | Multisciences Mouse IL-33 Standard (lyophilized) Multisciences PBS Buffer with Tween 20 (Assay, | No known significant effects or critical hazards. No known significant effects or critical hazards. |
| | Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and | No known significant effects or critical hazards. |
| | Substrate Reagent Multisciences Stop Solution | No known significant effects or critical hazards. |
| Inhalation | Multisciences anti-Mouse IL-33 detect antibody(100X) | No known significant effects or critical hazards. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | No known significant effects or critical hazards. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No known significant effects or critical hazards. |
| | Multisciences Streptavidin-HRP (100x) and | No known significant effects or critical hazards. |



| | Substrate Reagent Multisciences Stop Solution | No known significant effects or critical hazards. |
|---------------------------------|--|--|
| Skin contact | Multisciences anti-Mouse IL-33 detect antibody(100X) | No known significant effects or critical hazards. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | No known significant effects or critical hazards. |
| | Multisciences PBS Buffer with Tween 20 (Assay, | No known significant effects or critical hazards. |
| | Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and | No known significant effects or critical hazards. |
| | Substrate Reagent | - |
| | Multisciences Stop Solution | No known significant effects or critical hazards. |
| Ingestion | Multisciences anti-Mouse IL-33 detect antibody(100X) | No known significant effects or critical hazards. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | No known significant effects or critical hazards. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No known significant effects or critical hazards. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | No known significant effects or critical hazards. |
| | Multisciences Stop Solution | No known significant effects or critical hazards. |
| Over-exposure signs/symptoms | | |
| Eye contact | Multisciences anti-Mouse IL-33 detect antibody(100X) | No specific data. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | No specific data. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No specific data. |
| | Multisciences Streptavidin-HRP (100x) and | No specific data. |
| | Substrate Reagent Multisciences Stop Solution | No specific data. |
| Inhalation | Multisciences anti-Mouse IL-33 detect antibody(100X) | No specific data. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | No specific data. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No specific data. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | No specific data. |
| | Multisciences Stop Solution | No specific data. |
| Skin contact | Multisciences anti-Mouse IL-33 detect antibody(100X) | No specific data. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | No specific data. |
| | Multisciences PBS Buffer with Tween 20 (Assay, | No specific data. |
| | Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and Substrate Reagent | No specific data. |
| | Multisciences Stop Solution | No specific data. |
| | Multisciences anti-Mouse IL-33 detect | No specific data. |
| Ingestion | antibody(100X) Multisciences Mouse IL-33 Standard (lyophilized) | No specific data. |
| | Multisciences PBS Buffer with Tween 20 (Assay, | No specific data. |
| | Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and | No specific data. |
| | Substrate Reagent | |
| | Multisciences Stop Solution | No specific data. |
| Indication of immediate medical | attention and special treatment needed | , if necessary, see toxicological information (Section 11) |

Notes to physicianTreat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.Specific treatmentsNo specific treatmentProtection of first-aidersNo action shall be taken involving any personal risk or without suitable training.

Section 5. Fire-fighting measures

| Extinguishing media | | |
|------------------------------|--|---|
| Suitable extinguishing media | Multisciences anti-Mouse IL-33 detect antibody(100X) | Use an extinguishing agent suitable for the surrounding fire. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Use an extinguishing agent suitable for the surrounding fire. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Use an extinguishing agent suitable for the surrounding fire. |
| | Multisciences Streptavidin-HRP (100x) and | Use an extinguishing agent suitable for the surrounding fire. |
| | Substrate Reagent | |
| | Multisciences Stop Solution | Use an extinguishing agent suitable for the surrounding fire. |



| Unsuitable extinguishing media | Multisciences anti-Mouse IL-33 detect antibody(100X) | None known. |
|--|--|--|
| | Multisciences Mouse IL-33 Standard (lyophilized) | None known. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | None known. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | None known. |
| | Multisciences Stop Solution | None known. |
| Specific hazards arising from the chemical | Multisciences anti-Mouse IL-33 detect antibody(100X) | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and Substrate Reagent | In a fire or if heated, a pressure increase will occur and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst. |
| | Multisciences Stop Solution | In a fire or if heated, a pressure increase will occur and the container may burst. |
| Hazardous thermal decomposition products | Multisciences anti-Mouse IL-33 detect antibody(100X) | No specific data. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | No specific data. |
| | Multisciences PBS Buffer with Tween 20 (Assay, | No specific data. |
| | Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and | No specific data. |
| | Substrate Reagent Multisciences Stop Solution | No specific data. |
| Special protective actions for fire-fighters | Multisciences anti-Mouse IL-33 detect antibody(100X) | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving |
| ine lighters | Multisciences Mouse IL-33 Standard (lyophilized) | any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving |
| | Multisciences Stop Solution | any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | Multisciences anti-Mouse IL-33 detect antibody(100X) | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | Multisciences Stop Solution | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | | |

Section 6. Accidental release measures

| Personal precautions, protective equipment and emergency procedures | | | |
|---|---|--|--|
| For non-emergency personnel | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. | | |
| For emergency responders | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non- emergency personnel". | | |
| Environmental precautions | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). | | |



contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry,

Methods and materials for containment and cleaning up Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Small spill Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or Large spill confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. Section 7. Handling and storage Precautions for safe handling Multisciences anti-Mouse IL-33 detect Put on appropriate personal protective equipment (see Section 8). **Protective measures** antibody(100X) Put on appropriate personal protective equipment (see Section 8). Multisciences Mouse IL-33 Standard Put on appropriate personal protective equipment (see Section 8). (lyophilized) Put on appropriate personal protective equipment (see Section 8). Multisciences PBS Buffer with Tween 20 Put on appropriate personal protective equipment (see Section 8). (Assay, Diluent or Washing buffer) Put on appropriate personal protective equipment (see Section 8). Multisciences Streptavidin-HRP (100x) and Put on appropriate personal protective equipment (see Section 8). Substrate Reagent Put on appropriate personal protective equipment (see Section 8). Multisciences Stop Solution Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Multisciences anti-Mouse IL-33 detect Eating, drinking and smoking should be prohibited in areas where this Advice on general occupational material is handled, stored and processed. Workers should wash hands antibody(100X) hygiene and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Multisciences Mouse IL-33 Standard Eating, drinking and smoking should be prohibited in areas where this (lyophilized) material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Multisciences PBS Buffer with Tween 20 Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands (Assay, Diluent or Washing buffer) and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Multisciences Streptavidin-HRP (100x) and Eating, drinking and smoking should be prohibited in areas where this Substrate Reagent material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Multisciences Stop Solution Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures Multisciences anti-Mouse IL-33 detect Store in accordance with local regulations. Store in original container Conditions for safe storage antibodv(100X) protected from direct sunlight in a dry, cool and well-ventilated area. including any incompatibilities away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry. Multisciences Mouse IL-33 Standard Store in accordance with local regulations. Store in original container (lyophilized) protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry. Multisciences PBS Buffer with Tween 20 Store in accordance with local regulations. Store in original container (Assay, Diluent or Washing buffer) protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental



Multisciences Streptavidin-HRP (100x) and Substrate Reagent

Multisciences Stop Solution

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry,

Section 8. Exposure controls/personal protection

Control parameters Occupational exposure limits None

| Appropriate engineering controls | Good general ventilation should be sufficient to control worker exposure to airborne contaminants. |
|----------------------------------|---|
| Environmental exposure controls | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
| Individual protection measures | |
| Hygiene measures | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side- shields. |
| Skin protection | |
| Hand protection | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. |
| Body protection | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the |

hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

| | 1 1 | |
|----------------|--|----------------|
| Physical state | Multisciences anti-Mouse IL-33 detect antibody(100X) | Liquid. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Solid |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Liquid. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Liquid. |
| | Multisciences Stop Solution | Liquid. |
| Color | Multisciences anti-Mouse IL-33 detect antibody(100X) | Not available. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |



| | Multisciences Streptavidin-HRP (100x) and | Not available. |
|----------------------------|--|----------------|
| | Substrate Reagent Multisciences Stop Solution | Not available. |
| Odor | Multisciences anti-Mouse IL-33 detect antibody(100X) | Not available. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Flash point | Multisciences anti-Mouse IL-33 detect antibody(100X) | Not available. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Auto-ignition temperature | Multisciences anti-Mouse IL-33 detect antibody(100X) | Not available. |
| | Multisciences Mouse IL-33 Standard (Ivophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Flammable limits | Multisciences anti-Mouse IL-33 detect antibody(100X) | Not available. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Molecular weight | Multisciences anti-Mouse IL-33 detect antibody(100X) | Not available. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Molecular formula | Multisciences anti-Mouse IL-33 detect antibody(100X) | Not available. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| рН | Multisciences anti-Mouse IL-33 detect antibody(100X) | 7.0-7.2 |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Not available |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | 7.0-7.2 |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | 7.0-7.2 |
| | Multisciences Stop Solution | 1.1-1.3 |
| Boiling/condensation point | Multisciences anti-Mouse IL-33 detect antibody(100X) | Not available. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Not available. |
| | | |



| | Multisciences PBS Buffer with Tween 20 | Not available. |
|------------------------|---|-------------------|
| | (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and | Not available. |
| | Substrate Reagent Multisciences Stop Solution | Not available. |
| Molting/frooting point | Multisciences anti-Mouse IL-33 detect | Not available. |
| Melting/freezing point | antibody(100X) Multisciences Mouse IL-33 Standard | Not available. |
| | (lyophilized) Multisciences PBS Buffer with Tween 20 | Not available. |
| | (Assay, Diluent or Washing buffer) | |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Relative density | Multisciences anti-Mouse IL-33 detect antibody(100X) | Not available. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 | Not available. |
| | (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and | Not available. |
| | Substrate Reagent Multisciences Stop Solution | Not available. |
| Manage processo | Multisciences anti-Mouse IL-33 detect | Not available. |
| Vapor pressure | antibody(100X) Multisciences Mouse IL-33 Standard | Not available. |
| | (lyophilized) Multisciences PBS Buffer with Tween 20 | Not available. |
| | (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | NOT available. |
| Vapor density | Multisciences anti-Mouse IL-33 detect antibody(100X) | Not available. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Volatility | Multisciences anti-Mouse IL-33 detect | Not available. |
| volatinty | antibody(100X) Multisciences Mouse IL-33 Standard | Not available. |
| | (lyophilized) Multisciences PBS Buffer with Tween 20 | Not available. |
| | (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and | Not available. |
| | Substrate Reagent Multisciences Stop Solution | Not available. |
| | | . iot a tallable. |
| Evaporation rate | Multisciences anti-Mouse IL-33 detect antibody(100X) | Not available. |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Viscosity | Multisciences anti-Mouse IL-33 detect | Not available. |
| | antibody(100X) Multisciences Mouse IL-33 Standard | Not available. |
| | (lyophilized) Multisciences PBS Buffer with Tween 20 | Not available. |
| | (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and | Not available. |
| | Substrate Reagent Multisciences Stop Solution | Not available. |
| | · | |
| Solubility | Multisciences anti-Mouse IL-33 detect antibody(100X) | Not available. |
| | | |

Chemical stability

Conditions to avoid

Possibility of hazardous reactions



No specific test data related to reactivity available for this product or

No specific test data related to reactivity available for this product or

No specific test data related to reactivity available for this product or

No specific test data related to reactivity available for this product or

Under normal conditions of storage and use, hazardous reactions

Under normal conditions of storage and use, hazardous reactions

Under normal conditions of storage and use, hazardous reactions

Under normal conditions of storage and use, hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use,

will not occur. Under normal conditions of storage and use,

will not occur. Under normal conditions of storage and use,

will not occur. Under normal conditions of storage and use,

will not occur. Under normal conditions of storage and use,

its ingredients.

its ingredients.

its ingredients.

its ingredients.

The product is stable.

hazardous reactions will not occur.

No specific data.

No specific data.

| | Multisciences Mouse IL-33 Standard (Iyophilized) | Not available. | | | |
|---------------------------------------|--|---|--|--|--|
| | (Assay, Diluent or Washing buffer) | Not available. | | | |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. | | | |
| | Multisciences Stop Solution | Not available. | | | |
| Physical/chemical properties comments | Multisciences anti-Mouse IL-33 detect antibody(100X) | Not available. | | | |
| | Multisciences Mouse IL-33 Standard (lyophilized) | Not available. | | | |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. | | | |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. | | | |
| | Multisciences Stop Solution | Not available. | | | |
| Section 10. Stability and reactivity | | | | | |
| Reactivity | Multisciences anti-Mouse IL-33 detect antibody(100X) | No specific test data related to reactivity available for this product or its ingredients. | | | |

Multisciences Mouse IL-33 Standard

(Assay, Diluent or Washing buffer)

Multisciences anti-Mouse IL-33 detect

Multisciences Mouse IL-33 Standard

(Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and

Multisciences anti-Mouse IL-33 detect

Multisciences Mouse IL-33 Standard

(Assay, Diluent or Washing buffer)

Multisciences PBS Buffer with Tween 20

Multisciences Streptavidin-HRP (100x) and

Multisciences anti-Mouse IL-33 detect

Multisciences Mouse IL-33 Standard

Multisciences PBS Buffer with Tween 20

Multisciences Stop Solution

Multisciences PBS Buffer with Tween 20

Multisciences Streptavidin-HRP (100x) and

(lyophilized)

Substrate Reagent

antibody(100X)

(lyophilized)

Substrate Reagent Multisciences Stop Solution

antibody(100X)

(lyophilized)

Substrate Reagent

antibodv(100X)

Multisciences Stop Solution

| | (Iyophilized) Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and Substrate Reagent Multisciences Stop Solution | No specific data. No specific data. No specific data. | |
|------------------------|--|---|--|
| Incompatible materials | Multisciences anti-Mouse IL-33 detect antibody(100X) Multisciences Mouse IL-33 Standard (lyophilized) Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No specific data. No specific data. No specific data. | |



Multisciences Streptavidin-HRP (100x) and Substrate Reagent Multisciences Stop Solution No specific data. No specific data.

Hazardous decomposition products

Multisciences anti-Mouse IL-33 detect antibody(100X)

Multisciences Mouse IL-33 Standard (lyophilized)

Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)

Multisciences Streptavidin-HRP (100x) and Substrate Reagent

Multisciences Stop Solution

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous

decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects Acute toxicity: Not available. Irritation/Corrosion: Not available. Sensitization: Not available. Mutagenicity: Not available. Carcinogenicity: Not available. Reproductive toxicity: Not available. Teratogenicity: Not available. Specific target organ toxicity (single exposure): Not available. Specific target organ toxicity (repeated exposure): Not available. Aspiration hazard: Not available. Information on the likely routes of exposure: Not available.

Potential acute health effects

Eye contact: Not available. Inhalation: Not available. Skin contact: Not available. Ingestion: Not available.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: Not available. Inhalation: Not available. Skin contact: Not available. Ingestion: Not available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure: Not available. Potential immediate effects: Not available. Potential delayed effects: Not available. Long term exposure: Not available. Potential immediate effects: Not available. Potential delayed effects: Not available. Potential chronic health effects: General: Not available. Carcinogenicity: Not available. Mutagenicity: Not available. Teratogenicity: Not available. Developmental effects: Not available.



Fertility effects: Not available. Numerical measures of toxicity Acute toxicity estimates: Not available. Interactive effects: Not available. Other information: Not available. Section 12. Ecological information Toxicity: Not available. Persistence and degradability: Not available. Bioaccumulative potential: Not available. Mobility in soil Soil/water partition: coefficient (Koc) Multisciences anti-Mouse IL-33 detect antibody(100X)

 Koc)
 Multisciences anti-Mouse IL-33 detect antibody(100X)
 Not available.

 Multisciences Mouse IL-33 Standard (lyophilized)
 Not available.

 Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)
 Not available.

 Multisciences Streptavidin-HRP (100x) and Substrate Reagent Multisciences Stop Solution
 Not available.

Mobility: Not available.

Other adverse effects: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

| UN number UN proper shipping name | DOT Classification Not available. Not available. | TDG Classification Not available. Not available. | Mexico Classification Not available. Not available. | ADR/RID Not available. Not available. | IMDG Not available. Not available. | IATA Not available. Not available. |
|--------------------------------------|--|--|---|---|--|--|
| Packing group | - | - | - | - | - | - |
| Environmental hazards | No. | No. | No. | No. | No. | No. |
| Additional information | - | - | - | - | - | - |

Special precautions for user: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not available.

Section 15. Regulatory information

U.S. Federal regulations: TSCA 8(a) CDR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): Not determined. Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs): Not listed Clean Air Act Section 602 Class I Substances: Not listed Clean Air Act Section 602 Class II Substances: Not listed DEA List I Chemicals (Precursor Chemicals): Not listed DEA List II Chemicals (Essential Chemicals): Not listed SARA 302/304 Composition/information on ingredients

| Name | % | EHS | SARA 302 TPQ | | SARA 304 RQ | |
|--|-----|------|--------------|-----------|-------------|-----------|
| | | | (lbs) | (gallons) | (lbs) | (gallons) |
| Multisciences Substrate Reagent with hydrogen peroxide | 0-1 | Yes. | 1000 | 106.1 | 1000 | 106.1 |

SARA 304 RQ: 68292000 lbs / 31004568 kg

SARA 311/312 Classification: Not applicable.

Composition/information on ingredients: No products were found.

State regulations

Massachusetts: None of the components are listed.

New York: None of the components are listed.

New Jersey: None of the components are listed.




Pennsylvania: None of the components are listed. Section 15. Regulatory information International regulations Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed. Montreal Protocol (Annexes A, B, C, E) Not listed. Stockholm Convention on Persistent Organic Pollutants Not listed. Rotterdam Convention on Prior Inform Consent (PIC) Not listed. **UNECE Aarhus Protocol on POPs and Heavy Metals** Not listed. Canada Multisciences anti-Mouse IL-33 detect Not controlled under WHMIS (Canada). WHMIS (Canada) antibody(100X) Multisciences Mouse IL-33 Standard Not controlled under WHMIS (Canada). (lyophilized) Multisciences PBS Buffer with Tween 20 Not controlled under WHMIS (Canada). (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and Not controlled under WHMIS (Canada). Substrate Reagent Multisciences Stop Solution Not controlled under WHMIS (Canada).

Canadian lists Canadian NPRI: None of the components are listed. CEPA Toxic substances: None of the components are listed Canada inventory: Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



The customer is responsible for determining the PPE code for this material. National Fire Protection Association (U.S.A.)



History

Date of issue/Date of revision: 9/11/2016 Date of previous issue: No previous validation. Version: 1

Section 16. Other information

Key to abbreviations:

ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations



Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.