

SAFETY DATA SHEET

Multisciences Human C-peptide ELISA Kit

Section 1. Identification

GHS product identifier Code: Multisciences Human C-peptide ELISA Kit, EK1251

Other means of identification: Not available Trade name: Human C-peptide ELISA Kit

Supplier/Manufacturer 3F, Building B, 36 Xiang Mao Road, Gongshu District, Hangzhou, Zhejiang

Province, China

In case of emergency: Multisciences: 400-6721-600

Section 2. Hazards identification

Multisciences anti-Human C-peptide detect **OSHA/HCS status:**

antibody(100X)

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees

and other users of this product.

Multisciences Human C-peptide Standard

(lyophilized)

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees

and other users of this product.

Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees

and other users of this product.

Multisciences Streptavidin-HRP (100x) and

Substrate Reagent

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees

and other users of this product.

Multisciences Stop Solution

While this material is not considered hazardous by the

OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees

and other users of this product.

Classification of the substance or mixture: Multisciences anti-Human C-peptide detect

antibody(100X)

Multisciences Human C-peptide Standard

(lyophilized)

Not classified.

Not classified.



| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not classified. |
|----------------------------------|--|---|
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not classified. |
| | Multisciences Stop Solution | Not classified. |
| GHS label elements | | |
| Signal word | Multisciences anti-Human C-peptide detect antibody(100X) | No signal word. |
| | Multisciences Human C-peptide Standard (lyophilized) | No signal word. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No signal word. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | No signal word. |
| | Multisciences Stop Solution | No signal word. |
| Hazard statements | Multisciences anti-Human C-peptide detect antibody(100X) | No known significant effects or critical hazards. |
| | Multisciences Human C-peptide Standard (lyophilized) | No known significant effects or critical hazards. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No known significant effects or critical hazards. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | No known significant effects or critical hazards. |
| | Multisciences Stop Solution | No known significant effects or critical hazards. |
| Precautionary statements General | Multisciences anti-Human C-peptide detect antibody(100X) | Not applicable. |
| | Multisciences Human C-peptide Standard (lyophilized) | Not applicable. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not applicable. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not applicable. |
| | Multisciences Stop Solution | Not applicable. |
| | | |
| Prevention | Multisciences anti-Human C-peptide detect antibody(100X) | Not applicable. |
| | Multisciences Human C-peptide Standard (lyophilized) | Not applicable. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not applicable. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not applicable. |
| | Multisciences Stop Solution | Not applicable. |
| Response | Multisciences anti-Human C-peptide detect antibody(100X) | Not applicable. |
| | Multisciences Human C-peptide Standard (lyophilized) | Not applicable. |



| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not applicable. |
|----------------------------------|--|-----------------|
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not applicable. |
| | Multisciences Stop Solution | Not applicable. |
| Storage | Multisciences anti-Human C-peptide detect antibody(100X) | Not applicable. |
| | Multisciences Human C-peptide Standard (lyophilized) | Not applicable. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not applicable. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not applicable. |
| | Multisciences Stop Solution | Not applicable. |
| Disposal | Multisciences anti-Human C-peptide detect antibody(100X) | Not applicable. |
| | Multisciences Human C-peptide Standard (lyophilized) | Not applicable. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not applicable. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not applicable. |
| | Multisciences Stop Solution | Not applicable. |
| Supplemental label elements | Multisciences anti-Human C-peptide detect antibody(100X) | None known. |
| | Multisciences Human C-peptide Standard (lyophilized) | None known. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | None known. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | None known. |
| | Multisciences Stop Solution | None known. |
| Hazards not otherwise classified | Multisciences anti-Human C-peptide detect antibody(100X) | None known. |
| | Multisciences Human C-peptide Standard (lyophilized) | None known. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | None known. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | None known. |
| | Multisciences Stop Solution | None known. |

Section 3. Composition/information on ingredients

Substance/mixture: Mixture

Ingredient name % CAS number



Multisciences Human C-peptide Standard 99.9-100

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

| Description of | necessary first | Sid | moscuroc |
|----------------|-----------------|-----|----------|
| Describtion of | necessary first | alu | measures |

| Description of necessary fire | st aid measures | |
|-------------------------------|--|---|
| Eye contact | Multisciences anti-Human C-peptide detect antibody(100X) | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | Multisciences Human C-peptide Standard (lyophilized) | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | Multisciences Stop Solution | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| Inhalation | Multisciences anti-Human C-peptide detect antibody(100X) | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| | Multisciences Human C-peptide Standard (lyophilized) | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| | Multisciences Stop Solution | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| Skin contact | Multisciences anti-Human C-peptide detect antibody(100X) | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | Multisciences Human C-peptide Standard (lyophilized) | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |



Multisciences PBS Buffer with Tween 20 Flush
(Assay, Diluent or Washing buffer) conta

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention

if symptoms occur.

Multisciences Streptavidin-HRP (100x) and Substrate Reagent Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention

if symptoms occur.

Multisciences Stop Solution

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention

if symptoms occur.

Ingestion

Multisciences anti-Human C-peptide

detect antibody(100X)

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Multisciences Human C-peptide Standard (lyophilized)

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not

Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)

induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Multisciences Streptavidin-HRP (100x) and Substrate Reagent

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Multisciences Stop Solution

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed Potential acute health effects

Eye contact

Multisciences anti-Human C-peptide detect antibody(100X)

No known significant effects or critical hazards.

Multisciences Human C-peptide Standard

No known significant effects or critical hazards.

(lyophilized) Multisciences PBS Buffer with Tween 20

No known significant effects or critical hazards.

(Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and

No known significant effects or critical hazards.

Multisciences Streptavidin-HRP (100x) and Substrate Reagent

Multisciences Stop Solution

No known significant effects or critical hazards.

Inhalation

Multisciences anti-Human C-peptide detect antibody(100X)

No known significant effects or critical hazards.



| | Multisciences Human C-peptide Standard | No known significant effects or critical hazards. |
|----------------------------|---|---|
| | (lyophilized) Multisciences PBS Buffer with Tween 20 | No known significant effects or critical hazards. |
| | (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and | No known significant effects or critical hazards. |
| | Substrate Reagent Multisciences Stop Solution | No known significant effects or critical hazards. |
| Skin contact | Multisciences anti-Human C-peptide detect antibody(100X) | No known significant effects or critical hazards. |
| | Multisciences Human C-peptide Standard (lyophilized) | No known significant effects or critical hazards. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No known significant effects or critical hazards. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | No known significant effects or critical hazards. |
| | Multisciences Stop Solution | No known significant effects or critical hazards. |
| Ingestion | Multisciences anti-Human C-peptide detect antibody(100X) | No known significant effects or critical hazards. |
| | Multisciences Human C-peptide Standard (lyophilized) | No known significant effects or critical hazards. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No known significant effects or critical hazards. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | No known significant effects or critical hazards. |
| | Multisciences Stop Solution | No known significant effects or critical hazards. |
| Over-exposure signs/sympto | oms | |
| Eye contact | Multisciences anti-Human C-peptide detect antibody(100X) | No specific data. |
| | Multisciences Human C-peptide Standard (lyophilized) | No specific data. |
| | Multisciences PBS Buffer with Tween 20 | No specific data. |
| | (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and | No specific data. |
| | Substrate Reagent Multisciences Stop Solution | No specific data. |
| Inhalation | Multisciences anti-Human C-peptide detect | No specific data. |
| iiiiatatioii | antibody(100X) Multisciences Human C-peptide Standard | No specific data. |
| | (lyophilized) Multisciences PBS Buffer with Tween 20 | No specific data. |
| | (Assay, Diluent or Washing buffer) | · |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | No specific data. |
| | Multisciences Stop Solution | No specific data. |
| Skin contact | Multisciences anti-Human C-peptide detect antibody(100X) | No specific data. |
| | Multisciences Human C-peptide Standard (lyophilized) | No specific data. |



Multisciences PBS Buffer with Tween 20 No specific data.

(Assay, Diluent or Washing buffer)

Multisciences Streptavidin-HRP (100x) and No specific data.

Substrate Reagent

Multisciences Stop Solution No specific data.

Ingestion Multisciences anti-Human C-peptide detect No specific data.

antibody(100X)

Multisciences Human C-peptide Standard No specific data.

(lyophilized)

Multisciences PBS Buffer with Tween 20 No specific data.

(Assay, Diluent or Washing buffer)

Multisciences Streptavidin-HRP (100x) and No specific data.

Substrate Reagent

Multisciences Stop Solution No specific data.

Indication of immediate medical attention and special treatment needed, if necessary, see toxicological information (Section 11)

Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

ingested or inhaled.

Specific treatments No specific treatment

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

Multisciences anti-Human C-peptide detect

antibody(100X)

t Use an extinguishing agent suitable for the surrounding

fire.

Multisciences Human C-peptide Standard

(lyophilized)

Use an extinguishing agent suitable for the surrounding

fire.

Multisciences PBS Buffer with Tween 20

(Assay, Diluent or Washing buffer)

Multisciences Streptavidin-HRP (100x) and

Substrate Reagent

Use an extinguishing agent suitable for the surrounding fire.

Use an extinguishing agent suitable for the surrounding

Multisciences Stop Solution Use an extinguishing agent suitable for the surrounding

fire.

Unsuitable extinguishing

media

Multisciences anti-Human C-peptide detect

antibody(100X)

None known.

Multisciences Human C-peptide Standard

(lyophilized)

d None known.

Multisciences PBS Buffer with Tween 20

None known.

(Assay, Diluent or Washing buffer)
Multisciences Streptavidin-HRP (100x) and

None known.

Substrate Reagent

Multisciences Stop Solution None known.

Specific hazards arising from the chemical

Multisciences anti-Human C-peptide detect antibody(100X)

In a fire or if heated, a pressure increase will occur and the container may burst.



Multisciences Human C-peptide Standard In a fire or if heated, a pressure increase will occur and the container may burst. (lyophilized) **Multisciences PBS Buffer with Tween 20** In a fire or if heated, a pressure increase will occur and (Assay, Diluent or Washing buffer) the container may burst. Multisciences Streptavidin-HRP (100x) and In a fire or if heated, a pressure increase will occur and Substrate Reagent the container may burst. **Multisciences Stop Solution** In a fire or if heated, a pressure increase will occur and the container may burst. Multisciences anti-Human C-peptide No specific data. **Hazardous thermal** detect antibody(100X) decomposition products Multisciences Human C-peptide Standard No specific data. (lvophilized) Multisciences PBS Buffer with Tween 20 No specific data. (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) No specific data. and Substrate Reagent **Multisciences Stop Solution** No specific data. Multisciences anti-Human C-peptide Promptly isolate the scene by removing all persons from Special protective actions detect antibody(100X) the vicinity of the incident if there is a fire. No action shall for fire-fighters be taken involving any personal risk or without suitable training. Multisciences Human C-peptide Standard Promptly isolate the scene by removing all persons from (lyophilized) the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable **Multisciences PBS Buffer with Tween 20** Promptly isolate the scene by removing all persons from (Assay, Diluent or Washing buffer) the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Multisciences Streptavidin-HRP (100x) Promptly isolate the scene by removing all persons from and Substrate Reagent the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable **Multisciences Stop Solution** Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Multisciences anti-Human C-peptide Fire-fighters should wear appropriate protective Special protective equipment detect antibody(100X) equipment and self-contained breathing apparatus for fire-fighters (SCBA) with a full face-piece operated in positive pressure mode. **Multisciences Human C-peptide** Fire-fighters should wear appropriate protective Standard (lyophilized) equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Fire-fighters should wear appropriate protective **Multisciences PBS Buffer with Tween** 20 (Assay, Diluent or Washing buffer) equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.



Multisciences Streptavidin-HRP (100x)

and Substrate Reagent

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

Multisciences Stop Solution

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

No action shall be taken involving any personal risk or without suitable training. Evacuate For non-emergency personnel

surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch

or walk through spilled material. Put on appropriate personal protective equipment.

If specialized clothing is required to deal with the spillage, take note of any information in

Section 8 on suitable and unsuitable materials. See also the information in "For non-

emergency personnel".

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and **Environmental precautions**

sewers. Inform the relevant authorities if the product has caused environmental pollution

(sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal

Large spill

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

For emergency responders

Protective measures

Multisciences anti-Human C-peptide

detect antibody(100X)

Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective

equipment (see Section 8).

Multisciences Human C-peptide

Standard (lyophilized)

Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective

equipment (see Section 8).

Multisciences PBS Buffer with Tween

20 (Assay, Diluent or Washing buffer)

Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective

equipment (see Section 8).

Multisciences Streptavidin-HRP (100x) and Substrate Reagent

Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective

Multisciences Stop Solution

equipment (see Section 8). Put on appropriate personal protective equipment (see

Section 8). Put on appropriate personal protective

equipment (see Section 8).



Advice on general occupational hygiene

Multisciences anti-Human C-peptide detect antibody(100X)

Multisciences Human C-peptide Standard (lyophilized)

Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)

Multisciences Streptavidin-HRP (100x) and Substrate Reagent

Multisciences Stop Solution

Conditions for safe storage including any incompatibilities

Multisciences anti-Human C-peptide detect antibody(100X)

Multisciences Human C-peptide Standard (lyophilized)

Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating. drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible



materials (see Section 10) and food and drink. Keep

Multisciences Streptavidin-HRP (100x) and Substrate Reagent

container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully

resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry,

Multisciences Stop Solution

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None

Appropriate engineering controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures
Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing



before reusing. Ensure that eyewash stations and safety showers are close to the workstation

Safety eyewear complying with an approved standard should be used when a risk assessment **Eye/face protection**

> indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates

a higher degree of protection: safety glasses with side-shields.

Skin protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn **Hand protection**

at all times when handling chemical products if a risk assessment indicates this is necessary.

Personal protective equipment for the body should be selected based on the task being **Body protection**

performed and the risks involved and should be approved by a specialist before handling this

product.

Appropriate footwear and any additional skin protection measures should be selected based Other skin protection

on the task being performed and the risks involved and should be approved by a specialist

before handling this product.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard **Respiratory protection**

> if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the

selected respirator.

Section 9. Physical and chemical properties

Multisciences anti-Human C-peptide Liquid. **Physical state**

detect antibody(100X)

Multisciences Human C-peptide Solid

Standard (lyophilized)

Multisciences PBS Buffer with Tween Liquid.

20 (Assay, Diluent or Washing buffer)

Multisciences Streptavidin-HRP (100x) Liquid.

and Substrate Reagent

Multisciences Stop Solution Liquid.

Multisciences anti-Human C-peptide Not available. Color

detect antibody(100X)

Multisciences Human C-peptide Not available.

Standard (lyophilized)

Multisciences PBS Buffer with Tween Not available.

20 (Assay, Diluent or Washing buffer)

Multisciences Streptavidin-HRP (100x) Not available.

and Substrate Reagent

Multisciences Stop Solution Not available.

Multisciences anti-Human C-peptide Not available. Odor

detect antibody(100X)

Multisciences Human C-peptide Not available.

Standard (lyophilized)

Multisciences PBS Buffer with Tween Not available.

20 (Assay, Diluent or Washing buffer)

Multisciences Streptavidin-HRP (100x) Not available.

and Substrate Reagent



| | Multisciences Stop Solution | Not available. |
|---------------------------|--|----------------|
| Flash point | Multisciences anti-Human C-peptide detect antibody(100X) | Not available. |
| | Multisciences Human C-peptide Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent Multisciences Stop Solution | Not available. |
| | Planscences Stop Solution | Not available. |
| Auto-ignition temperature | Multisciences anti-Human C-peptide detect antibody(100X) | Not available. |
| | Multisciences Human C-peptide Standard (lyophilized) Multisciences PBS Buffer with Tween | Not available. |
| | 20 (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) | Not available. |
| | and Substrate Reagent Multisciences Stop Solution | Not available. |
| | | |
| Flammable limits | Multisciences anti-Human C-peptide detect antibody(100X) | Not available. |
| | Multisciences Human C-peptide Standard (lyophilized) Multisciences PBS Buffer with Tween | Not available. |
| | 20 (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) | Not available. |
| | and Substrate Reagent Multisciences Stop Solution | Not available. |
| | Multisciences anti-Human C-peptide | Not available. |
| Molecular weight | detect antibody(100X) Multisciences Human C-peptide | Not available. |
| | Standard (lyophilized) Multisciences PBS Buffer with Tween | Not available. |
| | 20 (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) | Not available. |
| | and Substrate Reagent Multisciences Stop Solution | Not available. |
| Molecular formula | Multisciences anti-Human C-peptide | Not available. |
| Piotecular formula | detect antibody(100X) Multisciences Human C-peptide | Not available. |
| | Standard (lyophilized) Multisciences PBS Buffer with Tween | Not available. |
| | 20 (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) | Not available. |
| | and Substrate Reagent Multisciences Stop Solution | Not available. |



| pH | Multisciences anti-Human C-peptide detect antibody(100X) Multisciences Human C-peptide Standard (lyophilized) Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and Substrate Reagent Multisciences Stop Solution | 7.0-7.2 Not available 7.0-7.2 7.0-7.2 |
|----------------------------|---|--|
| Boiling/condensation point | Multisciences anti-Human C-peptide detect antibody(100X) | Not available. |
| | Multisciences Human C-peptide Standard (lyophilized) Multisciences PBS Buffer with Tween | Not available. |
| | 20 (Assay, Diluent or Washing buffer) Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Melting/freezing point | Multisciences anti-Human C-peptide detect antibody(100X) | Not available. |
| | Multisciences Human C-peptide Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Relative density | Multisciences anti-Human C-peptide detect antibody(100X) | Not available. |
| | Multisciences Human C-peptide Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Vapor pressure | Multisciences anti-Human C-peptide detect antibody(100X) | Not available. |
| | Multisciences Human C-peptide Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Vapor density | Multisciences anti-Human C-peptide detect antibody(100X) | Not available. |



| | Multisciences Human C-peptide Standard (lyophilized) | Not available. |
|---------------------------------------|--|----------------|
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Volatility | Multisciences anti-Human C-peptide detect antibody(100X) | Not available. |
| | Multisciences Human C-peptide Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Evaporation rate | Multisciences anti-Human C-peptide detect antibody(100X) | Not available. |
| | Multisciences Human C-peptide Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Viscosity | Multisciences anti-Human C-peptide detect antibody(100X) | Not available. |
| | Multisciences Human C-peptide Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Solubility | Multisciences anti-Human C-peptide detect antibody(100X) | Not available. |
| | Multisciences Human C-peptide Standard (lyophilized) | Not available. |
| | Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | Multisciences Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | Multisciences Stop Solution | Not available. |
| Physical/chemical properties comments | Multisciences anti-Human C-peptide detect antibody(100X) | Not available. |
| | Multisciences Human C-peptide Standard (lyophilized) | Not available. |



Multisciences PBS Buffer with Tween
20 (Assay, Diluent or Washing buffer)
Multisciences Streptavidin-HRP (100x)

and Substrate Reagent

Multisciences Stop Solution

Not available.

Not available.

Not available.

Section 10. Stability and reactivity

Reactivity

Multisciences anti-Human C-peptide detect antibody(100X)
Multisciences Human C-peptide
Standard (lyophilized)
Multisciences PBS Buffer with Tween
20 (Assay, Diluent or Washing buffer)
Multisciences Streptavidin-HRP (100x)
and Substrate Reagent
Multisciences Stop Solution

No specific test data related to reactivity available for this product or its ingredients.

No specific test data related to reactivity available for this product or its ingredients.

No specific test data related to reactivity available for this product or its ingredients.

No specific test data related to reactivity available for this product or its ingredients.

No specific test data related to reactivity available for this product or its ingredients.

Chemical stability

Multisciences anti-Human C-peptide detect antibody(100X)

The product is stable.

The product is stable.

Multisciences Human C-peptide Standard (lyophilized)

Multisciences PBS Buffer with Tween
20 (Assay, Diluent or Washing buffer)

The product is stable.

Multisciences Streptavidin-HRP (100x)

The product is stable.

and Substrate Reagent

Multisciences Stop Solution The product is stable.

Possibility of hazardous reactions

Multisciences anti-Human C-peptide detect antibody(100X)

Multisciences Human C-peptide Standard (lyophilized)

Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)

Multisciences Streptavidin-HRP (100x) and Substrate Reagent

Multisciences Stop Solution

Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.

Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.

Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

Multisciences anti-Human C-peptide detect antibody(100X)
Multisciences Human C-peptide
Standard (lyophilized)
Multisciences PBS Buffer with Tween
20 (Assay, Diluent or Washing buffer)
Multisciences Streptavidin-HRP (100x)
and Substrate Reagent

No specific data.

No specific data.

No specific data.

No specific data.



Multisciences Stop Solution No specific data.

Incompatible materials

Multisciences anti-Human C-peptide

detect antibody(100X)

Multisciences Human C-peptide

Standard (lyophilized)

Multisciences PBS Buffer with Tween

20 (Assay, Diluent or Washing buffer)

Multisciences Streptavidin-HRP (100x)

and Substrate Reagent

Multisciences Stop Solution

No specific data.

Hazardous decomposition products

Multisciences anti-Human C-peptide

detect antibody(100X)

Multisciences Human C-peptide Standard (lyophilized)

Multisciences PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)

Multisciences Streptavidin-HRP (100x) and Substrate Reagent

Multisciences Stop Solution

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous

decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under

normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous

decomposition products should not be produced. Under normal conditions of storage and use, hazardous

decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity: Not available.

Irritation/Corrosion: Not available.

Sensitization: Not available. Mutagenicity: Not available. Carcinogenicity: Not available.

Reproductive toxicity: Not available.

Teratogenicity: Not available.

Specific target organ toxicity (single exposure): Not available. Specific target organ toxicity (repeated exposure): Not available.

Aspiration hazard: Not available.

Information on the likely routes of exposure: Not available.



Potential acute health effects

Eye contact: Not available.
Inhalation: Not available.
Skin contact: Not available.
Ingestion: Not available.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: Not available.
Inhalation: Not available.
Skin contact: Not available.
Ingestion: Not available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure: Not available.

Potential immediate effects: Not available.

Potential delayed effects: Not available.

Long term exposure: Not available.

Potential immediate effects: Not available. Potential delayed effects: Not available.

Potential chronic health effects:

General: Not available.

Carcinogenicity: Not available.

Mutagenicity: Not available.

Teratogenicity: Not available.

Developmental effects: Not available.

Fertility effects: Not available.

Numerical measures of toxicity Acute toxicity estimates: Not available.

Interactive effects: Not available.
Other information: Not available.

Section 12. Ecological information

Toxicity: Not available.

Persistence and degradability: Not available. Bioaccumulative potential: Not available.

Mobility in soil

Soil/water partition:

coefficient (Koc)

Multisciences anti-Human C-peptide detect

antibody(100X)

Multisciences Human C-peptide Standard

(lyophilized)

Multisciences PBS Buffer with Tween 20

(Assay, Diluent or Washing buffer)

Multisciences Streptavidin-HRP (100x) and

Substrate Reagent

Not available.

Not available.

Not available.

Not available.



(gallons)

Multisciences Stop Solution

Not available.

Mobility: Not available.

Other adverse effects: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

| | DOT | TDG | Mexico | ADD /DID | IMPC | LATA |
|--------------------------|----------------|----------------|----------------|----------------|-------------------|-------------------|
| | Classification | Classification | Classification | ADR/RID | IMDG | IATA |
| UN number | Not available. | Not available. | Not available. | Not available. | Not available. | Not available. |
| UN proper shipping name | Not available. | Not available. | Not available. | Not available. | Not available. | Not available. |
| Packing group | - | - | - | - | - | - |
| Environmental hazards | No. | No. | No. | No. | No. | No. |
| Additional information | - | - | - | - | - | - |

Special precautions for user: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not available.

Section 15. Regulatory information

U.S. Federal regulations: TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): Not determined.

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs): Not listed

Clean Air Act Section 602 Class I Substances: Not listed Clean Air Act Section 602 Class II Substances: Not listed DEA List I Chemicals (Precursor Chemicals): Not listed DEA List II Chemicals (Essential Chemicals): Not listed SARA 302/304 Composition/information on ingredients



Multisciences Substrate

Reagent with hydrogen 0-1 Yes. 1000 106.1 1000 106.1

peroxide

SARA 304 RQ: 68292000 lbs / 31004568 kg SARA 311/312 Classification: Not applicable.

Composition/information on ingredients: No products were found.

State regulations

Massachusetts: None of the components are listed.

New York: None of the components are listed.

New Jersey: None of the components are listed.

Pennsylvania: None of the components are listed.

Section 15. Regulatory information

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Canada

WHMIS (Canada) Multisciences anti-Human C-peptide Not controlled under WHMIS (Canada).

detect antibody(100X)

Multisciences Human C-peptide Not controlled under WHMIS (Canada).

Standard (lyophilized)

Multisciences PBS Buffer with Tween Not controlled under WHMIS (Canada).

20 (Assay, Diluent or Washing buffer)

Multisciences Streptavidin-HRP (100x) Not controlled under WHMIS (Canada).

and Substrate Reagent

Multisciences Stop Solution Not controlled under WHMIS (Canada).

Canadian lists Canadian NPRI: None of the components are listed.

CEPA Toxic substances: None of the components are listed

Canada inventory: Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)





The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



History

Date of issue/Date of revision: 9/11/2016

Date of previous issue: No previous validation.

Version: 1

Section 16. Other information

Key to abbreviations:

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.